

BLOCK for Fire and Smoke.

Meet BLOCK which gives a new impulse to fire resistant hotel and residence doors.



Technical Features

- Fire and smoke resistance for up to 30-60 minutes
- Unmatched durability certified by 1 million cycle test
- Tested at IFC, Warrington and Chitren Fire laboratories Environmentally-friendly door leaves with FSC Forest

Stewardship Council certification

- Excellent acoustic insulation performance
- Monobloc fire-resistant door panels


• A structure which does not require any additional varnish, paint,

















































PROOWOOD

ORMAN ÜRÜNLERI




















































































LAKE DOOR



PROOWOOD

ORMAN ÜRÜNLERİ

FOR EXPORT - IMPORT







LK7

PROOWOOD ORMAN ÜRÜNLERI FOR EXPORT - IMPORT







LK3

PROOWOOD ORMAN ÜRÜNLERİ FOR EXPORT - IMPORT



LK2

LK1



LD11C

PROOWOOD ORMAN ÜRÜNLERI





LD10



LD4E



LD6



LD4



LD2





LVS1


TECHNICAL DETAILS

PROOWOOD ORMAN ÜRÜNLERI FOR EXPORT - IMPORT

Dimensions



Door Cross-selection




Door Frame Standards


Frame Measurements	Wall Thickness Min. (mm)	Wall Thickness Max. (mm)
110	96	135
150	135	175
190	175	215
230	215	255



Door Casing







Normal L Dimensio			odel - 160
		En (mm)	Boy (mm)
F 40		770	2060
MDF Case		870	2060
Sa	Case Wall to Wall	970	2060
- 0	Width	770	2000
		870	2000
		970	2000
		710	2010
		810	2010
	Leaf Width	910	2010
	Lear width	710	1960
		810	1960
		010	1060

Product Properties

Door Leaf		Door Casing
Natural Touch	Soft Touch	Natural Touch
Register Emboss Laminated Surface	Laminated Surface	PVC surface
Colors Do Not Fade	Colors Do Not Fade	
Anti-Scratch		Colors Do Not Fade
Shock Resistant		Anti-Scratch

Unequal Double Leaf Door

		Model 200 - 260	
		Width (mm)	Length (mm)
MDF Case	Case Wall to Wall Width	1350	2060
		1350	2000
	Mean Leaf Size	810	2010
		476	2020
	Narrow Leaf Size	810	1960
		476	1960

Mdf Frame





Lock Slot and Plate





Cermen Hinge Application on Door Leaf


Lock Rod Slot and Application

STOCK LEAF DIMENSIONS

		Model 100 - 160	
		En (mm)	Boy (mm)
		770	2060
Se	Case Wall to Wall Width	870	2060
Case		970	2060
		770	2000
		870	2000
		970	2000
		710	2010
		810	2010
	Leaf Width	910	2010
		710	1960
	810	1960	
	910	1960	

INTERIOR FLUSH DOOR WITH TUBULAR BOARD CORE

INTERIOR DOOR COMPOSITE SECTION







ACCESSORIES

- Magnetic lock and backing
- 2 non-directional hinges (butterfly)
 - Hinge screws
 - Lock, backing screws
- 4 items 5x70 mm screws for 90° connection

.4 items dowel screws for 45° connection
• Slider for narrow leaf





Paket İçeriği / Package Contents





REACH US





+90 539 552 1799



