# STEEL DOOR CATALOG









**TKN106** 

Elektrostatik powder paint.
Standard panic bar.

TKN107
Optional
E 90 Rock wool
E 2.90 Ceramic wool
+ Drywall
E 120 Drywall + Rock
wool

FIRE DOOR

Elektrostatik powder paint. Standard panic bar. TKN104 COMOD Optional
E 90 Rock wool
E 2.90 Ceramic wool +
Drywall
E 120 Drywall + Rock wool
E 180 Drywall + Rock wool +
Ceramic Rock wool
TKN101





Elektrosta tik powder paint. Standard panic bar.





Optional
E 90 Rock wool
E 2.90 Ceramic
wool + Drywall
E 120 Drywall +
Rock wool
E 180 Drywall +
Rock wool +
Ceramic Rock
woo

**TKN105** 

In European standards, we produce the most reliable Door against theft and weather conditions.

steel door is a cost-effective strong and secure steel door manufacturer that is ideal for



The door panels. manufactured With our know-how maximize customer satisfaction with 100%corrosion-resistance, fire-proof quality, high strength a wide variety of production. Safety and purchasing a robust product is not a privilege, but a fundamental right that everyone should have, in philosophical, legal and social context. securing commercial enterprises and residences. All our doors are made of high quality materials with durable coating.



**DLX101** 



**DLX100** 





#### **DELUXE DOOR FRAME**

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm 24 cm wall thickness
  - Over 24 cm holds special manufacturing
  - Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

#### **OPTIONAL**

 Aluminium & Wooden frame coating can be done (Optional)

#### **DOOR LEAF**

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitten 6 mm tempered glass surface on both side of steel leaf
- Inside door leaf is filled by 42 density polyurethane
  - 14 central locking system
  - 6 pieces stable safety pin
    - Hidden safety clips
  - 120 cm Chromium or aluminium door handle
    - Luxury peephole
    - -Weldless adjustable hinges

#### **DOOR FRAME**

- · It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm 24 cm wall thickness
  - Over 24 cm holds special manufacturing
    - Electrostatic powder paint
- Inside frame has decorative eloxal aluminum profile

### **ELG113**





· Wooden or aluminum frame coating can be done optional



**ELG108** 



- It is made from 1,2 mm two monolith plates galvanized steel
  - · Special waterproof surface resistant to external front over steel
  - Inside door leaf is filling by 42 density polyurethane
    - 14 central locking system
    - · 6 pieces stable safety pin
      - · Hidden safety clips
    - · Special stainless door handle
      - Luxury peephole
    - · Weldless adjustable hinges
  - · Around door leaf is designed by special anodized aluminum

https://falezcelikkapi.com/products/entrancedoors/outside-entrance-doors/elegance-serieelg-108









### **NCS104**

#### **DOOR LEAF**

(8)

- It is made from 1,2 mm two monolith plates galvanized steel
- Special waterproof surface resistant to external front over steel
- Inside door leaf is filling by 42 density polyurethane
  - 14 central locking system
  - 6 pieces stable safety pin
    - Hidden safety clips
- Special stainless door handle Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminum



### **NCS102**

#### **DOOR FRAME**

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
  - Inside frame has decorative eloxal aluminium profile

#### **OPTIONAL**

- Wooden or aluminium frame coating can be done (Optional)





## NCS101 Anthracite

PROOWOOD ORMAN ÜRÜNLERİ



NCS101 WHITE



NCS105



#### **DOOR LEAF**

- It is made from 1,2 mm two monolith plates galvanized steel
- Special waterproof surface resistant to external front over steel
- Inside door leaf is filling by 42 density polyurethane
  - 14 central locking system
  - 6 pieces stable safety pin
    - Hidden safety clips
- Special stainless door handleLuxury peephole
- Weldless adjustable hinges
- Anthracite Around door leaf is designed by special anodized aluminum

NCG0103

Walnut



- · It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm 24 cm NCGO103 wall thickness
- Over 24 cm holds special manufacturing
  - Electrostatic powder paint
  - Inside frame has decorative eloxal aluminum profile

#### **OPTIONAL**

Wooden or aluminum frame coating can be done optional





## SRM102



PROOWOOD
ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT




SRM101



PA101

PW101





UV101

6 0 0



UV102

PROOWOOD
ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT







GLS105

**GLS106** 



GLS104







GLS110

PROOWOOD ORMAN ÜRÜNLERİ



**GLS108** 



GLS101



GLS109



**GLS107** 

#### **DOOR FRAME**

- · It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm 24 cm wall thickness
  - Over 24 cm holds special manufacturing
    - Electrostatic powder paint
- Inside frame has decorative eloxal aluminum profile

#### **OPTIONAL**

Wooden or aluminum frame coating can be done optional

### **WDN100**

PROOWOOD





**WDN101** 



PR101

PROOWOOD
ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT



PR102



Pi104





Pi101



PROOWOOD
ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT



Pi103

Pi102



PR110

PROOWOOD
ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT



PR112



PR100



PR111



PR113







PROOWOOD
ORMAN ÜRÜNLERI
FOR EXPORT - IMPORT

SNY UV 101 WHITE

SNY UV 101 Golden Oak

SNY UV 101 Anthracite



SNY UV 103 Diana Double - UV Anthracite



SNY UV 103 Diana - UV Anthracite



DBL108



**DBL 102** 



PROOWOOD
ORMAN ÜRÜNLERİ
FOR EXPORT - IMPORT









**DBL 104** 



DBL103



**DBL107** 



DBL104



**DBL109** 



DBL 103









VL101

**UV DBL 103** 

**UV DBL 104** 





UV VL105



## **REACH US**



+90 539 552 1799

Kızılarık mah.Kızılırmak.Cad.H.ço ban iş merkezi B blok / no 135/Daire 7 kat 2 Antalya /Muratpasa